

**KERALA STATE CO-OPERATIVE FEDERATION FOR FISHERIES
DEVELOPMENT LTD**
KAMALESWARAM, TRIVANDRUM.695009, KERALA STATE
Phone 0471 2457172, 2457756 Fax 0471-2457752

TENDER NOTICE NO.II

Competitive tenders in separate sealed covers super scribed with the name and number of tender are invited in two-bid system for the supply and erection of the following machinery/equipments for its Fish net factory project from the manufacturers, authorised distributors reputable suppliers and sole agents.

Tender No.	Description.	Tender document price (Non Refundable).
No.II	Steam Boiler (600 kg) & accessories	Rs 1000 + tax

The tender forms with detailed specifications and terms and conditions may be had from Matsyafed Head Office at Trivandrum on payment of Rs 1000 + tax. and is not refundable under any circumstances. or can be downloaded from the web site www.matsyafed.org

The tenderers can submit tenders for either all the machinery/equipment or in part.

Due date and time for receipt of tenders 3 PM on 23.09.2010

Due date and time for opening of tenders 4 PM on 23.092010

The tender documents should contain two parts namely technical bid and financial bid.

The technical bid should contain

- a) Prescribed tender form duly signed and sealed
- b) Detailed technical specifications with out price quote.
- c) Original brochure & literature supporting the technical specification.
- d) Earnest Money Deposit of Rs 25000
- e) Agreement in Rs100 stamp paper
- f) List of installations in India, fully your own installed or part.
- g) Details of service facility
- h) Compliance to payment condition
- i) Delivery period
- j) Place of delivery
- k) Warranty
- l) Training details etc
- j) The bidder should submit a quality assurance plan for the equipment they intend to supply
- k) The organizational chart and balance sheet of the bidding firm also to be submitted

The Financial bid should contain

- a) Price of the equipment and its accessories
- b) AMC details
- c) Price list of essential spare parts
- d) Compliance to Terms & conditions etc

The tenders duly filled and signed by the tenderer along with necessary documents should be submitted to the Managing director, Kerala state co-operative federation for fisheries Development Ltd(MATSYAFED),Kamaleswaram, Manacaud. P.O Trivandrum-695009 on or before 3 pm on 23.9.2010.

Specimen of the agreement to be submitted in stamp paper is in the last page of the tender form. Earnest Money Deposit (EMD) amount of Rs..... shall be submitted by way of demand draft, deposit receipt or bank guarantee in favour of The Managing Director, Kerala state co-operative federation for fisheries Development Ltd(MATSYAFED),Kamaleswaram,Manacaud.P.O Trivandrum-695009. In the case of bank guarantee, its validity should be up to 30/6/2011.

The technical bids will be opened at 4 PM on 23.09.2010 at the office Managing Director, conference hall in the presence of such tenderers or their authorized representatives who may be present at that time.

The financial bids of the technically qualified firms will be opened at a later stage and the date will be intimated. The Managing Director, MATSYAFED, Trivandrum reserves the right to accept or reject all or any tender at his sole discretion without assigning any reason. For legal purposes, the cause of action will be deemed to have arisen in Trivandrum, Kerala state.

TERMS AND CONDITIONS

1. The latest model shall be quoted and certified.
2. The Technical bid will be examined by a committee decided by the management to assess the credibility and authenticity of the bidder.
3. The quoted price should include cost of the equipment, freight, insurance, installation and commissioning separately.
4. Payment condition:
 - (a) If the price is quoted in Indian rupees, 90% payment will be released after successful commissioning.10% of the price will be retained as security deposit and will be released on completion of the guarantee period.
5. Factory site/Installation site
All the equipments/machinery as per this tender is to be delivered & installed in the factory site in **Azheekal** village in **Kannur district**
6. The installation should be done by the supplier.
7. Delivery period: - The equipment and its accessories should be completely supplied, installed and commissioned within 3 months from the date of supply order.
8. Warranty:- The entire equipment and its accessories should have comprehensive warranty from the date of acceptance. Specify the warranty period

9. The rates and terms of AMC (both comprehensive and labor) for a minimum period of 3 years after the warranty period shall be clearly specified. The labor AMC amount will be taken in to consideration for final selection.

10 Training should be given to the staff free of cost.

11. List of installations in India over past 5 years shall be provided

12. Duely completed tender document through registered post or in person will only be accepted as per the time schedule.

13. The detailed specification of the equipment are given in the web site. **www.Matsyafed.org**

SD/-

THE MANAGING DIRECTOR
KERALA STATE CO-OPERATIVE
FEDERATION FOR FISHERIES
DEVELOPMENT LTD.

KAMALESWARAM, MANACAUD P.O,
THIRIVANANDAPURAM. PIN. 695009,
KERALA, Ph. 2457172, 2457756 Fax 0471-2457752

ANNEXURE-1

AGREEMENT

[to be executed on Rs.100/- Kerala Stamp Paper (non-judicial)and submitted with the tender documents – technical proposal]

Articles of agreement executed on this the day of two thousand BETWEEN the Managing director, Kerala state co-operative federation for fisheries Development Ltd(MATSYAFED),Kamaleswaram, Manacaud. P.O Trivandrum-695009 herein after called MATSYAFED and

..... (here enter name and address of the tenderer) (hereinafter referred to as “the bidder”) of the other part.

WHEREAS in response to the Notification Nodated the bidder has submitted to MATSYAFED a tender for the supply and erection of the machinery/equipments for its Fish net project subject to the terms and conditions contained in the said tender.

WHEREAS the bidder has also deposited with MATSYAFED, a sum of Rs. (Rupeesonly) as earnest money for execution of an agreement undertaking the due fulfillment of the contract in case his tender is accepted by Matsyafed

NOW THESE PRESENTS WITNESS and it is hereby mutually agreed as follows:

- 1.In case the tender submitted by the bidder is accepted by Matsyafed, and the contract for the supply & erection of the machinery/equipments for its fish net project has been awarded to the bidder, the bidder shall within 14 days of acceptance of his tender, execute an agreement with Matsyafed incorporating all the terms and conditions under which Matsyafed accepts his tender.
2. In case the bidder fails to execute the agreement as aforesaid incorporating the terms and conditions governing the contract, MATSYAFED shall have power and authority to recover from the bidder any loss or damage caused to Matsyafed by such breach as may be determined by Matsyafed by appropriating the earnest money deposited by the bidder and if the earnest money is found to be inadequate, the deficit amount may be recovered from the bidder and his properties movable and immovable in the manner hereinafter contained.
3. All sums found due to Matsyafed under or by virtue of this agreement shall be recoverable from the bidder and his properties movable and immovable under the provisions of the Revenue Recovery Act for the time being in force as though such sums are arrears of land revenue and in such other manner as Matsyafed may deem fit.

In witness where of Sri..... (here enter
name and designation) for and on behalf of Matsyafed and Sri.
.....
the bidder have hereunto set their hands, the day and year shown against
respective signatures

Signed by (date) (for matsyafed)

In presence of witnesses:

- 1.
- 2.

Signed by (date) (for bidder)

In the presence of witnesses:

- 1.
- 2.

ANNEXURE-II

CONTRACT AGREEMENT

(to be executed by the successful bidder on award of the contractor Rs. 100/- Kerala Stamp Paper(Non Judicial)

This agreement made on this day of

..... between the Managing director, Kerala state co-operative federation for fisheries Development Ltd(MATSYAFED),Kamaleswaram, Manacaud. P.O Trivandrum-695009 herein after called MATSYAFD which expression shall include its administrators, successors, executors and assigns) of the one part and (name of contracting company), a company/firm incorporated under the having its registered Office at

..... (here in after referred to as "Contractor", which expression shall include its administrators, successors, executors and permitted assigns) of the other part.

WHEREAS MATSYAFED has invited bids for supply and erection of the machinery/equipments for its Fish net Project from manufacturers, authorized distributors, reputable suppliers (briefly describe scope of the works) as per its Tender notice No.dated

AND WHEREAS *..... had participated in the above referred bidding vide their proposal no. dated and Matsyafed accepted the aforesaid proposal and awarded the contract to *..... on terms and conditions contained in its work order No.dated and the documents referred to therein, which have been accepted by *.....resulting into a "Contract".

NOW THEREFORE THIS DEED WITNESSETH AS UNDER:-

1. AWARD OF CONTRACT

1.1 MATSYAFED has awarded the contract to *..... for the work of the supply and erection of on the terms and conditions contained in its work order No.....dated..... and the documents referred to therein. The award has taken effect from

1.2

..... ie., the date of issue of the aforesaid letter. The terms and expressions used in this Agreement shall have the same meaning as are assigned to them in the “Contract Documents” referred to in the succeeding Article.

2. CONTRACT DOCUMENTS

2.1 The contract shall be performed strictly as per the terms and conditions stipulated as per the following documents attached herewith (hereinafter referred to as “Contract Documents”):

i)MATSYAFED’s Tender Documents in respect of tender No.dated consisting of Notice inviting Tender and conditions of contract including all amendments issued vide its letter(s) no(s). dated (Volume-I)

ii)Matsyafed’s Schedule and Technical Specification (including Amendments issued vide its letter no..... dated (Volume-II)

iii) proposal no..... dated along with proposal sheets, payment terms and work schedules submitted by Contractor for the supply and erection of the Glucosamine plant (Volume-III)

* Brief name of the contracting company
iii) Agreed Minutes of the meeting held on between MATSYAFED and the Contractor. (Volume-IV)

iv)MATSYAFED’s Work Order No.dated duly accepted by the Contractor. (Volume-V)

2.2 All the aforesaid contract documents shall form an integral part of this Agreement, in so far as the same or any part thereof conform to the Bid Documents (Volume I & II) and what has been specifically agreed to by Matsyafed in its Work Order. Any matter inconsistent therewith, contrary or repugnant thereto or any deviations taken by the Contractor in its “Proposal” (Volume-.III) but not agreed to specifically by Matsyafed in its Work Order shall be deemed to have been withdrawn by the Contractor. For the sake of brevity, this Agreement along with its aforesaid contract documents shall be referred to as the “Agreement”.

3. CONDITIONS AND COVENANTS

3.1 The scope of contract, consideration, terms of payment, price adjustment, taxes wherever applicable, insurance, liquidated damages, performance guarantee and all other terms and conditions are contained in MATSYAFED’s Work Order No.dated..... read in conjunction with other

aforesaid contract documents. The contract shall only be performed by the Contractor strictly and faithfully in accordance with the terms of the Agreement.

3.2 The scope of work shall also include supply and installation of all such items which are not specifically mentioned in the contract documents, but which are needed for successful, efficient, safe and reliable operation of the equipment unless otherwise specifically excluded in the specification under “exclusions” or Work Order.

3.3 TIME SCHEDULE

Time is the essence of the contract and schedules shall be strictly adhered to.

The Contractor shall perform the work in accordance with the agreed schedule as given in the work order.

3.4 The Contractor guarantees that the equipment package under the contract shall meet the ratings and performance parameters, as stipulated in the Technical Specifications (Volume II) and in the event of any deficiencies found in the requisite performance figures, the MATSYAFED may at its option reject the equipment package or alternatively accept it on the terms and conditions and subject to levy of the liquidated damages in terms of contract documents. The amount of liquidated damages so leviable shall be in accordance with the contract documents and without any limitation.

3.5 It is further agreed by the Contractor that the contract performance guarantee shall in no way be construed to limit or restrict the Matsyafed 's right to recover the damages/compensation due to short-fall in the equipment performance figures as stated in para 3.4 above or under any other clause of the Agreement. The amount of damages/compensation shall be recoverable either by way of deduction from the contract price, contract performance guarantee and/or otherwise.

3.6 This agreement constitutes full and complete understanding between the parties and terms of the presents. It shall supersede all prior correspondence to the extent of inconsistency of repugnancy to the terms and conditions contained in the agreement.

Any modification of the Agreement shall be effected only by a written instrument signed by the authorised representatives of both the parties.

4. SETTLEMENT OF DISPUTES

4.1 It is specifically agreed by and between the parties that all the differences of disputes arising out of the agreement or touching the subject matter of the agreement, shall be decided by process of settlement & arbitration as specified in the relevant clauses of the conditions of the contract and the provisions of the Indian Arbitration Act, 1940 shall apply and Kerala Courts at Trivandrum alone shall have exclusive jurisdiction over the same.

4.2 Notice of default given by either party to the other party under the Agreement shall be in writing and shall be deemed to have been duly and properly served upon the parties hereto if delivered against acknowledgement or by telex or by registered mail with acknowledgement due, addressed to the signatories at the address mentioned herein above.

IN WITNESS WHEREOF, the parties through their duly authorised representatives have executed these presents (execution whereof has been approved by the competent authorities of both the parties) on the day, month and year first above mentioned at Thiruvananthapuram.

For KERALA STATE CO-OPERATIVE FEDERATION FOR FISHERIES DEVELOPMENT LTD

(Signature)

(Name), (Designation)

(Seal)

for Contractor

(Contractors signature),

(Name), (Designation)

(Seal)

Witnesses:

1.

2

Witnesses:

1.

2.

KERALA STATE CO-OPERATIVE FEDERATION FOR FISHERIES
DEVELOPMENT LTD (MATSYAFED)

Specification sheet for tender No.II

PURCHASE OF STEAM BOILER & ACCESSORIES

(Three pass, smoke tube, dry back integral furnace, induced draught, packaged shell type boiler with plain furnace)

A. SCOPE OF SUPPLY

1. MAIN BOILER

Pressure parts consisting of smoke tube assembly having integral furnace with fixed grate, necessary opening for valves & fittings, manholes & head holes, wet back reversing chamber, smoke chamber with furnace and spirals.

2. ACCESSORIES

- Two Numbers of Reciprocating feed water pumps with motors and base frame.
- One Induced draft fan with motor and base frame.

3. PIPING

- One Set of IBR piping between feed water pumps and boiler.

4. MOUNTINGS & FITTINGS

- One Steam stop valve
- One Air vent valve
- Two Single port spring loaded safety valves
- One Shell blowdown valve
- Two sets of gauge glass with protector glass assembly
- Two Isolating stop valves for level controller
- Three Isolating valves on feed water line
- Three Non return valves on feed water line
- One Water level controller drain valve
- One Isolating valve for steam pressure gauge
- One Isolating valve for Inspector pressure gauge

5. INSTRUMENTS, CONTROLS AND SAFETIES

- One Steam pressure indicator (gauge) for measuring steam pressure
- One Pressure gauge for measuring feed water discharge pressure.
- One Steam pressure switch for high pressure cut off.
- One Magnetic type water level controller

6. ELECTRICAL

- One Pre-wired electrical control panel with contactors, relays & MCCB/MCB for motors.

B. SAFETIES PROVIDED IN BOILER

Unsafe condition	Initiator	Action
(a) Extra low water level in the boiler	Level controller	Alarm & boiler trip
(b) Very extra low level of Water	Fusible plug	Fusible plug blow off
(c) Steam pressure high	Pressure switch	Alarm & boiler trip
(d) Steam pressure high	Safety valve	Lift

Technical Specification for Wood Fired Boilers

Description	Unit
PERFORMANCE	
Max. Steam Output (F&A 100°C)	kg/h
Outlet Steam Condition	
Pressure (Safety Valve set Pr.)	kg/cm ²
Temperature	°C
Dryness Fraction	
Fuel	
Efficiency on GCV basis (As per BS 845 Part II Indirect Method)	
Type Of Grate	
Grate Area	m ²
No. of Furnace	
Flue Gas Exit Temperatures	
At Boiler Outlet	°C
DESIGN DATA	
Design Code	IBR 1950 WITH LATEST AMMENDMENTS
Design Pressure	kg/cm ² 10.54
Material Of Construction	
Shell	SA515/516 GR.70 or eqv.
Tubes	ERW-BS 3059 Part 1 or eqv.
Heating Surface Area	m ²
Water Holding Capacity	m ³
Steam Holding Capacity	m ³
Steam / Water Interface Area	m ²
Dry Weight Of Boiler	Tons

COMPONENT DATA

Shell Outside Diameter	mm
Shell Length	mm
Tube Outside Diameter	mm
Thickness	mm

CONNECTIONS & FITTINGS

Main Steam Stop Valve Size	mm
Steam Safety Valve Size	mm
Quantity	nos
Blow Down Valve Size	mm
Level Control Blow Down Size /Qty	mm / nos
Water Level Gauge Glass (Size / Qty)	mm / nos
Centre To Centre Distance	mm
Drain Cock (Size)	mm
Stop Valve In Feed Line (Size / Qty)	mm / nos
NRV In Feed Line (Size / Qty)	mm / nos
Air Vent Valve (Size / Qty)	mm / nos
Mobrey Isolation Stop Valve (Size / Qty)	mm / nos
Stop Valve For Insp. Gauge (Size)	mm

FEED WATER PUMP

Type	
Capacity	m ³ /h
Head	m
Nos	2
Motor	hp

INDUCED DRAUGHT FAN

Type	
Flow	m ³ /min
Head @ 280°C	mmWC
Motor Horse Power	hp

Overall Dimensions

Length	mm
Width	mm
Height	mm

PREFERED MAKES

Steam stop valves-
 PRS-
 Softener&Resin
 Isolation valves
 Steam traps

Klinger, Leader, Spirax
 Spirax, Thermax, Klinger
 Ion exchange, Thermax, EqvInt.
 Zoloto, Audco, and Inter.
 spirax, Thermax, klinger.

PRICE BID					
SL. No.	Description	Qty	Unit	Rate	Amount
1	Design, procurement, fabrication, packing & forwarding, supply at site, unloading, erection, testing and commissioning of 600 KG/HR WOOD/HUSK BRIQUETTE Fired INTEGRAL FURNACE,smoke tube,dry back, Boiler with all accessories such as 2 nos.of feed water pumps, induced draught fan, automatic water level controller, and control panel as shown in annexure 1.	1	No		
2	Supply,Fabrication and positioning of flue gas chimney 30 mtr height made of MS Sheet , chimney top dia 400mm , bottom dia 950mm, 1st 10mtr flare section 8mm thick, 2nd 10mtr straight 6mm thick, 3rd 10mtr straight 5mm thick, each section shall be 12mm thk flanged end connected, flanges with 10mm thk Gusset plate welded all around, chimney Base plate 12 mm thick 1500mm O/D, chair plate 10mm thick 1500mm O/D, with intermediate stiffner plate12mm thk. The chimney shall be mounted with Ash door strengthened with corresponding cutout area, sampling point for inspection, Plat form for inspection, MS ladder with ladder cage,ladder rung, chimney hood,lightening arrestor connected with GI strip, porceline clamp and electrode plate etc. All complete with two coat of heat resistant aluminium paint.	1	No		
3	Fabrication and erection of flue gas duct 300 mm dia made of 4 mm thick sheet connectingboiler to ID fan and ID fan to chimney including necessary flanges, nut/bolts and gaskets and heat resisting aluminium paint.	10	Mtrs		
4	Fabrication and erection of Water Lines, condensate lines and drain lines with Non IBR M.S. 'C' Class ERW pipe including allfittings like bends,Tees,flanges,packings and consumables for cutting, welding.				
	<u>Size</u>				
	80 NB		Mtrs		
	50 NB	24	Mtrs		
	40 NB	18	Mtrs		
	25 NB	12	Mtrs		
	20 NB	12	Mtrs		
	15 NB	24	Mtrs		
5	Fabrication and erection of Steam lines with ASTM A				

	106 GRB Sch: 40 IBR MS pipe including all fittings k/like bends,flanges,tees,packings and consumables for cutting, welding .				
	<u>Size</u>				
	80 NB		Mtrs		
	65 NB		Mtrs		
	50 NB		Mtrs		
	40 NB	40	Mtrs		
	25 NB	24	Mtrs		
	20 NB	18	Mtrs		
	15 NB	18	Mtrs		
6	Fixing of Valves, Strainers, NRVs for feed water line and condensate line.(NON IBR)				
	<u>Item</u>				
a	50 NB Brass Ball Valve S/E	3	Nos		
b	50 NB GM Y Strainer S/E	2	Nos		
d	40 NB Cast Steel Globe Valve F/E	2	Nos		
c	40 NB Brass ball Valve S/E		Nos		
d	25 NB FS Globe Valve S/W	3	Nos		
e	20 NB FS Globe Valve S/W		Nos		
f	15 NB FS Globe Valve S/W		Nos		
7	Fixing of Steam Stop Valves for Steam lines (IBR)				
	<u>Item</u>				
a	50 NB Cast Steel Globe Valve F/E		Nos		
b	40 NB Cast Steel Globe Valve F/E	1	Nos		
c	25 NB FS globe valve S/W	3			
d	20 NB FS globe valve S/W				
e	15 NB FS Globe Valve S/W	2	Nos		
f	15 NB thermodynamic steam trap assembly with 3 nos of valves and bypass line.	2	Nos		
8	Fabrication and erection of structural supports for Steam lines and Water lines and welding consumables and painting .	300	Kgs		
9	Fabrication and erectionof 2000 Ltrs Feed Water Tank made of 4mm thk MS Sheet for bottom , 4mm thick for sides and top including all required fittings like airvent, drain , inlet and outlet connections, manhole with cover, level gage glass tube,necessary platform and ladder including welding and cutting consumables. All complete with one coat of metal primer and one coat of enamel paint and insulated with 50mm thick mineral wool and covered with 24g aluminium sheet.	1	No		
9	Supply,Fixing and allignmet of factory fabricated IBR Pressure Reducing station with following specificatins : Inlet pressure 10 Kg/cm2 Outlet pressure 3.5 Kg/cm2 Flow rate - 600 Kg/hr all complete with moisture seperator, strainer, Pressure reducing valve, safety valves, isolating and bypass line pressure guages etc.	RO			
11	Supply, installation, testing and commissioning of water softening plant Plant of 1000 ltr/hr flow and an OBR of 30 m3@100ppm hardness.All complete with suitable regeneration pump,necessary valves inlet and out let line upto feed water tank etc.	1	set		

12	supply ,installation and commissioning of pH correction system including one number electronic dosing pump with suitable dosing tank.	1	set		
13	Fabrication and fixing of Mineralwool covered with chicken mesh and cladded with aluminium sheet of 22 gaugeand insulation thickness of 50mm for pipelines, valves and flanges.				
a	80 NB		Mtrs		
b	65 NB		Mtrs		
c	50 NB		Mtrs		
d	40 NB	40	Mtrs		
e	25 NB	24	Mtrs		
f	20 NB	18	Mtrs		
g	15NB	18	Mtrs		
	TOTAL		-		